

Co-polyester Polyethylene Terephtalate Resin Conforms to European Regulation (EU) No 453/2010 (REACH), Annex II

Updated Made on: Version:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name AzureFilm PETG **Product code** FG171-XXXX **EC** number Not available

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Plastic material for 3D Printing

1.3 Details of the supplier of the safety data sheet

Supplier AzureFilm d.o.o.

Orleška cesta 16 6210 Sežana

info@azurefilm.com

Tel.: + 386 (0)31 718 800

e-mail address or person

responsible for this SDS

1.4 Emergency telephone Number Slovenian

Telephone number + 386 (0)31 718 800 Hours of operation 8 hours a day

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product Definition The substance is not classified as dangerous according to Regulation

(EC) No 1272/2008 (CLP/GHS) and Directive 67/548/EEC.

2.2 Label elements

Hazard Pictogram None Signal Word None **Hazard Statements** None

Precautionary Statements Not applicable

2.3 Other hazards

Others hazards which do not result in classification : The hazards of this product are associated mainly with its processing. Molten polymer will produce thermal burns. Polymer dust may represent a fire hazard at sufficient concentrations in presence of

ignition sources.



Co-polyester Polyethylene Terephtalate Resin Conforms to European Regulation (EU) No 453/2010 (REACH), Annex II

Made on: 05/05/2016 Updated on: Version: 0

SECTION 3: Composition/information on ingredients

Substance Name	Concentration (%)	Classii Directive	fication Regulation EC
		67/548/EEC	No 1272/2008
Copolyester	> 99.9	Not Classified	Not Classified
Additives	< 0.1	Not Classified	Not Classified

The polymer contains minor additives such as stabilizers and catalysts.

These additives are immobilized by the polymer and are not released with normal use.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation : Move exposed person to fresh air in case of accidental inhalation of dust or fumes

from overheating or combustion. Consult a physician after significant exposure.

Skin Contact : Cool skin rapidly with cold water after contact with molten polymer.

Do not peel polymer from the skin. Obtain medical attention.

Eye Contact: Immediately flush eyes with plenty of water for at least 20 minutes. Get medical

attention if symptoms occur.

Ingestion : Do not induce vomiting unless directed by medical personnel. Never give anything

by mouth to an unconscious person. Get medical attention if symptoms occur and

show the TDS.

4.2 Indication of any immediate medical attention and special treatment needed

Notes to physician: : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing

Media

Use an extinguishing agent suitable to local circumstances and the surrounding environment. Example: Water Spray, Dry Chemical Powder and Carbon Dioxide.

Unsuitable extinguishing

Media

Do not use water, if fire is caused by an electrical short circuit.



Co-polyester Polyethylene Terephtalate Resin Conforms to European Regulation (EU) No 453/2010 (REACH), Annex II

Made on: 05/05/2016 Updated on: Version: 0

5.2 Special hazards arising from the substance or mixture

Hazardous combustion

Products

Carbon monoxide, carbon dioxide, acetaldehyde.

5.3 Advice for firefighters

Unusual fire and explosion

hazards

: Powdered material may form explosive dust-air mixtures. High voltage static electricity build-up and discharge must be avoided when significant quantities of powdered

material are present.

Special protective

equipment for fire-fighters

Wear self-contained breathing apparatus, protective clothing

and headgear to prevent contact with skin and eyes.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Put on appropriate personal protective equipment. Spillages may be slippery. Clear up spillages.

The molten polymer may remain hot for some time due to low thermal

conductivity. Use care when disposing of molten mass.

Do not breathe vapours or fumes that may be evolved during processing.

For emergency responders

If specialised clothing is required to deal with the spillage, take note of any information

in Section 8 on suitable and unsuitable materials. See also the information in

"For non-emergency personnel".

6.2 Environmental Precautions : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains

and sewers. Inform the relevant authorities if the product has caused environmental

pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Spill : Vacuum or sweep up material and place in a container for recuperate or disposal.

Avoid dust generation.

6.4 Reference to other

sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.



Co-polyester Polyethylene Terephtalate Resin Conforms to European Regulation (EU) No 453/2010 (REACH), Annex II

Updated Made on: Version:

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene Adequate ventilation and cleanliness must be employed in the processing area.

Area should be controlled using good occupational hygiene practices.

Accumulation of the dust may represent a fire and explosion hazard at sufficient concentrations. Remove ignition sources. Beware of electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities

: Keep containers closed when not in use. Store in original container in a dry, cool and well-ventilated area, away from flame, ignition sources, direct sunlight or incompatible materials (see section 10). Maintain good housekeeping to

control dust accumulations.

7.3 Specific end use(s)

Recommendations

Not Available

Industrial sector specific **Solutions**

Not Available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure

limits

No exposure limit value known.

8.2 Exposure controls

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used.

Provide for appropriate exhaust ventilation and dust collection at machinery. Provide

exhaust ventilation at places where dust is formed.

Individual protection measures

Hygiene measures

Wash hands before eating and at the end of the working period.

Eye/face protection Not required under normal conditions of uses. Safety eyewear should be used when

there is a likelihood of exposure. Recommended: Safety glasses with side shields

when working with molten material.

Skin protection

Hand protection Protective gloves are required when handling hot polymer.

Other skin protection Appropriate footwear and additional skin protection measures should be selected

based on the task being perform and the risks involved and should be approved by a specialist before handling this product. A safety shower and washing facilities

should be available.

Respiratory protection : Not required under normal conditions of uses. In the case of respirable dust and/or

> fumes, use self-contained breathing apparatus. If respirators are used, a program should be instituted to assure compliance with OSHA standard (OSHA Respiratory

Protection Program Guidelines).



Co-polyester Polyethylene Terephtalate Resin Conforms to European Regulation (EU) No 453/2010 (REACH), Annex II

Made on: Updated Version:

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Solid Colourless Pellets

Odour : Slight

pН Not applicable **Boiling Point** Not available Flash point Not applicable **Evaporation rate** Not applicable **Flammability** Non-flammable Vapour pressure Not available Vapour density Not available Relative density ≥1,27 g.cm³ Solubility(ies) Insoluble in water

SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials : Acetic Anhydride, acetone, aniline, benzene, chloroform,

chromic acid, cyclohexanone, dimethylformamide, dioxane, ethyl acetate, phenol,

tetrahydrofuran. Reactive with strong oxidizing agents, as well as strong

acids and caustic will decompose polyester.

10.6 Hazardous decomposition products

Carbon monoxide, carbon dioxide, acetaldehyde.



Co-polyester Polyethylene Terephtalate Resin Conforms to European Regulation (EU) No 453/2010 (REACH), Annex II

Made on: Updated Version:

SECTION 11: Toxicological information

Information on the likelyroutes of exposure

Inhalation : Combustion products may be irritant;

High concentration of dust may be irritant to the

respiratory tract.

Ingestion : Expected to be a low ingestion hazard.

Skin contact : May cause physical abrasion in contact with skin.

Molten polymer will adhere to the skin causing deep

thermal burns.

Eye contact : May cause physical abrasion in contact with eyes.

11.1 Information on toxicological effects

Potential acute health effects

Inhalation:No known significant effects or critical hazards.Ingestion:No known significant effects or critical hazards.Skin contact:No known significant effects or critical hazards.Eye contact:No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:No specific data.Ingestion:No specific data.Skin contact:No specific data.Eye contact:No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

General: No known significant effects or critical hazards.Carcinogenicity: No known significant effects or critical hazards.Mutagenicity: No known significant effects or critical hazards.Teratogenicity: No known significant effects or critical hazards.Fertility effects: No known significant effects or critical hazards.



Co-polyester Polyethylene Terephtalate Resin Conforms to European Regulation (EU) No 453/2010 (REACH), Annex II

Made on: Updated Version:

SECTION 12: Ecological information

12.1 Toxicity : Not available.

12.2 Persistence and degradability

Not available.

12.3 Bioaccumulative

potential

Not available.

12.4 Mobility in soil

Soil/water partition

coefficient (KOC)

Insoluble in water

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not available. vPvB : Not available.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal : Like most thermoplastics, the product can be recycled. Can be landfilled or

incinerated, when in compliance with local regulations.

Hazardous waste : Within the present knowledge of the supplier, this product is not regarded as

hazardous waste, as defined by EU Directive 91/689/EEC.

Packaging

Methods of disposal : The generation of waste should be avoided or minimized wherever possible.

Waste packaging should be recycled. Incineration or landfill should only be considered

when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Empty containers or

liners may retain some product residues. Avoid dispersal of spilt material and runoff

and contact with soil, waterways, drains and sewers.



Co-polyester Polyethylene Terephtalate Resin Conforms to European Regulation (EU) No 453/2010 (REACH), Annex II

Made on: Updated Version:

SECTION 14: Transport information

The substance is not subject to transport regulations on hazardous goods included in ADR (road transport), RID (rail transport), IMDG (marine transport) and ICAO/IATA (air transport).

14.1 UN number: Not applicable14.2 UN proper shipping: Not applicable

name

14.3 Transport Hazards : None

Classes

14.4 Packing Group: Not applicable14.5 Environmental hazards: Not applicable

14.6 Special precautions : None

for user

14.7 Transport in bulk : Not applicable.

according to annex II of Marpol 73/78 and the

IBC code

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV

List of Substances of Very High Concern for Authorization: None of the components are listed.

Annex XVII

Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles: None of the components are listed.

15.2 Chemical Safety Assessment: Not available

SECTION 16: Other information

Recommended restrictions:

Do not use in medical applications involving permanent implantation in the human body.

Further information:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.